



Save these instructions in the event that the manufacturer has to be contacted for replacement parts

If assistance is needed - do not contact the store! Call our customer services department on: UK: 0115 985 3500

NET1® is imported and distributed by Unicorn Products Ltd. UK GM Operations Centre, Trent Lane,Colwick EU Community Design Registration No. 001379283-0001

Hours: 9am to 5pm, Monday to Friday (except National Holidays).

Save these instructions in the event that the manufacturer has to be contacted for replacement parts.







FAILURE TO FOLLOW THESE WARNINGS MAY RESULT IN SERIOUS INJURY AND/OR PROPERTY DAMAGE

Owner must ensure that all players know and follow these rules for safe operation of the system.

- Only Hang from the rim briefly to regain balance or avoid injuring others. Release the rim as soon as safely possible.
- During play, especially when performing dunk type activities, keep players face away from the backboard, rim and net. Serious injury could occur if teeth/face come in contact with backboard, rim, or net.
- DO NOT slide, climb, or play on base or pole.
- Completely fill base according to manafacturers instructions or the system will tip quickly causing serious personal injury.
- When adjusting height or moving system, keep hands and fingers away from moving parts.
- DO NOT allow children to move or adjust system.
- During play, do not wear jewellery (rings, watches, necklaces, etc. Objects may entangle in net.
- Surface beneath the base must be smooth and free of gravel or other objects. Punctures can cause leakage and could cause system to tip over.
- Keep water and organic material away from pole. Pole can rust and fall.
- Once a month check pole and all metal parts for rust. Completely remove rust and repaint with exterior enamel. If rust has penetrated any steel part, replace the part immediately.
- Check system before each use for proper ballast, loose hardware, instability, and signs of corrosion and repair before each use. Never play on damaged equipment.
- DO NOT use system during windy or severe weather, system may tip over. Place system in an area protected from the wind or in an area away from property that may be damaged if the system falls.







When moving the system take care to ensure the base cap is securely tightened so that the filling of the base does not spill out

Safety Instructions

FAILURE TO FOLLOW THESE SAFETY INSTRUCTIONS MAY RESULT IN SERIOUS INJURY OR PROPERTY DAMAGE AND WILL VOID YOUR WARRANTY.

Owner must ensure that all players know and follow these rules for safe operation of this system.

To ensure safety, do not attempt to assemble this system without following the instructions carefully. Check the entire box and inside all packing material for parts and or other instruction material.

Before beginning assembly, read the instructions and identify parts using the hardware identifier and parts list in this document. Proper and complete assembly, use and supervision are essential for proper operation and to reduce the risk of accident or injury. A high probability of serious injury exists if this system is not installed, maintained, and operated properly.

- If using a ladder during assembly, use extreme caution.
- *capable adults are recommended for this operation.
- Check base daily for leakage. Leaks will cause system to fall.
- Assemble the pole sections properly (if applicable). Failure to do so could cause the pole sections to separate during play or transport.
- Minimum operational height is 6'6" (1.98m) to the bottom of the backboard.

Most injuries are caused by misuse and/or not following instructions. Use caution when using this system.



Warnings Please read this page carefully



Failure to follow these warnings may result in serious injury or damage to property.

Ensure all players follow these rules for safer operation of the system.

Do...

Keep your face and mouth away from the rim and net during play. If your teeth or face come into contact with the rim and net, serious injury can occur.

When adjusting the height or moving the system, keep your fingers and hands away from the moving parts.

Ensure the surface beneath the base is flat and free of stones, gravel, or any other debris which may puncture the base. If leakage occurs the system may topple over.

Check system before each use for loose fittings, wear and tear or any other signs of instability. Tighten any loose fittings.

Keep water and organic material away from the pole. The pole could rust and fall.

Once a month check the pole and all metal parts for rust. Completely remove rust an repaint with exterior enamel. If rust has penetrated any steel part, replace that part immediately.

Do Not...

Do not hang from the rim.

Do not wear jewellery during play, it may become entangled with the net.

Do not slide or climb onto the base or pole.

Do not leave the system standing upright without having filled the base with water or sand.

Do not allow children to adjust the height or move the system.


Do not use the system in windy or severe weather conditions. System may tip over. Place system in an area protected from the wind or in an area away from property that may be damaged if the system falls.

Do not use near overhead power lines.


Do not hang anything off the rim or backboard and do not use the system to lift or hoist anything.

Do not use system as a lift or hoist.


Pack contents




Pack contents



Fittings




Step 1: Pole assembly




Step 2: Base assembly

Step A






To connect the wheel bracket (N) to the wheel (I) use bolt (#2) to slot through the wheel then fix it with the nut (#7).




A WARNING!

Thread of bolt (#2) should be tightened until flush (EVEN) with locknut's (#7) outer edge


$\mathsf{Step}\,\mathsf{B}$





The base pole (E) fits into the circular gap just off the edge of the base (C). Connect the wheel bracket (N) (with wheel) to the base pole with 2 x bolts (#3).

Step 3: Base & pole assembly




Step 4: Backboard assembly


Step A

To attach the bracket (L) to backboard (A) use 2 x bolts (#1) and 2 x nuts (#8).





Step B




Step 5: Attaching pole & backboard

Step A

Lean the partly assembled system on a bench.







Step B

While the partly assembled system is leaning on a bench, get the backboard (A) (with rim attached) and fit the board brackets (K) (located behind the backboard) around the top of the pole.

Secure together by using 2 x bolts (#4) with 2 x washers (#9) and 2 x board mounts (J).






Step 7: Filling base



 $oldsymbol{\Lambda}$ Do not leave assembly unattended when the base is empty as it may tip over.



Step 8: Safety and Anchoring

* Note - The Anchor kit is optional and is used for fitment to concrete surface only. Only fit this anchor kit if you wish for this basketball system to remain secure.

It is not essential to fit this anchor kit. Not fitting the anchor kit does not hinder the performance of this product.

Consult your local contractor for the use of alternative anchor kits for fitment to all other playing surfaces if required.

